#### **NIGHTSTANDS**



20"W x 20"D x 29"H

# Les Fabrications Ltée. Dor-Val Mfg. Ltd.

# MELAMINE CONSTRUCTION

Our site will soon be updated with our complete Bedroom Collection

### **STAY TUNED!**

#### **DRESSERS**



- 3 Drawer Dresser 33"W x 20"D x 29"H
- 4 Drawer Dresser 33"W x 20"D x 36"H
- 6 Drawer Dresser 61"W x 20"D x 29"H
- 8 Drawer Dresser 61"W x 20"D x 36"H




#### **ARMOIRES**

Interior: Wardrobe with hanging bar and shelf on top

22"W x 24"D x 72"H or 22"W x 24"D x 78"H

#### **HEADBOARDS & FOOTBOARDS**







# Laminate/Thermofoil Finishes





## Standard Handles



BAR NICKEL



BATON NICKEL



BRIDGE NICKEL



CUBE NICKEL



FLAIR NICKEL



FLAT LOOP BRASS



FLAT LOOP NICKEL



KNOB BRASS



KNOB NICKEL



RAIL BLACK



RAIL SILVER



STRAIGHT BLACK



STRAIGHT SILVER



WATERFALL BLACK



WATERFALL NICKEL



# Top Option

# Thermofoil Top Profiles

Surface Style 1 1/8" Radius

Surface Style 2 1/4" Radius Surface Style 3 1/4" Radius Surface Style 4

STYLE 1

STYLE 2

STYLE 3

STYLE 4



# Top Option

## Solid Surface Finishes

Tier 1







Tier 2





ASPEN GRANITE

Tier 3





MT. CARRARA

MT. VANCOUVER\*\*\*



# Les Fabrications Ltée. Dor-Val Mfg. Ltd.

### **Bedroom Collection**

## Casters



STANDARD/HEAVY DUTY

## Value Added Options



**DRAWER LINER** 



LIGHT BOX



**REAR VENT** 



**KEY LOCK** 



SAFETY COAT HOOK



**DIGITAL LOCK** 



ANTI-TIP KIT



## **Laminate Specifications**



All laminate construction with outset drawer & door faces. 1" Thick panels on top, sides & back, 3/4" thick laminate drawer & door fronts. Laminate overhang top, available in optional thermofoil, HD thermofoil or solid surface. 3mm low emission, impact resistant PVC edging. Full suspension slides with safety stopper extension & rated for 125 lbs. 175 Degree European door hinges. 5-Piece reinforced drawer construction with optional solid bottoms.

# Dor-Val Mfg. Ltd.

#### **Bedroom Collection**

## **Laminate Specifications**

#### Cabinet Construction:

All sides are 1" (2.5cm) thick high density particle board Thermally fused with melamine.

All backs are either 3/4" (1.9cm) or 1" (2.5cm) thick (based on current production inventory) high density particle board thermally fused with melamine.

Cabinets are fastened with 3/4" (1.9cm) steel screws and 1" (2.5cm) heavy gauge steel brackets. Cabinets are edged on all exposed sides with 3mm low emission PVC impact resistant edging. All cabinets are fitted as standard with four adjustable steel levelling glides in black, threaded into a steel t-nut with a maximum height of 1.25" (3.17cm).

#### Surfaces:

1" (2.5cm) thick particle board Thermally fused with choice of 20 standard melamine finishes. Custom finishes available.

All surfaces made with radius edges.

Edged with low emissivity, high impact PVC edging.

#### **Drawer and Door Construction:**

3/4" (1.9cm) Thermally fused melamine drawer faces and doors. Drawerfaces drilled into the 5 sided vinyl wrapped drawers, full extension steel ball bearing slides rated to 100lbs each Drawers come standard with choice of 6 handles

#### **Environmental Facts:**

All Panels are NOUAF, CARBPhase 2 Compliant

All Cores are FSC certified

All Panels are SCS Green Cross Certified with minimum

88% recycled wood fiber & minimum 10%

Post consumer and 78% pre-consumer wood.

All Wood Fiber is 100% recycled and recovered

Potential LEED Credits:

Credit 4 Recycled Content

Credit 5 Regional Materials

Credit 7 FSC Certified Wood